

Systematic review

Digital literacy knowledge and needs of pharmacy staff: A systematic review

Katie MacLure

School of Pharmacy and Life Sciences,
Robert Gordon University, UK

Derek Stewart

School of Pharmacy and Life Sciences,
Robert Gordon University, UK

Cite this article: MacLure K, Stewart D. Digital literacy knowledge and needs of pharmacy staff: A systematic review. *J Innov Health Inform.* 2016;23(3):560–571

<http://dx.doi.org/10.14236/jhi.v23i3.840>

Copyright © 2016 The Author(s). Published by BCS, The Chartered Institute for IT under Creative Commons license <http://creativecommons.org/licenses/by/4.0/>

Author address for correspondence

Katie MacLure
School of Pharmacy and Life Sciences
Robert Gordon University, Aberdeen AB10 7GJ,
Scotland, UK.
Email: k.m.maclure@rgu.ac.uk

Accepted July 2016

ABSTRACT

Objective To explore the digital literacy knowledge and needs of pharmacy staff including pharmacists, graduate (pre-registration) pharmacists, pharmacy technicians, dispensing assistants and medicine counter assistants.

Methods A systematic review was conducted following a pre-published protocol. Two reviewers systematically performed the reproducible search, followed by independent screening of titles/abstracts then full papers, before critical appraisal and data extraction. Full articles matching the search terms were eligible for inclusion. Exclusions were recorded with reasons. Kirkpatrick's 4 level model of training evaluation (reaction, learning, behaviour and results) was applied as an analytical framework.

Results Screening reduced the initial 86 papers to 5 for full review. Settings included hospital and community pharmacy plus education in Australia, Canada and the US. No studies of pharmacy staff other than pharmacists were identified. Main findings indicate that pharmacy staff lack digital literacy knowledge with minimal research evidenced at each level of Kirkpatrick's model.

Conclusions As a society, we acknowledge that technology is an important part of everyday life impacting on the efficiency and effectiveness of working practices but, in pharmacy, do we take cognisance, 'that technology can change the nature of work faster than people can change their skills'? It seems that pharmacy has embraced technology without recognised occupational standards, definition of baseline skills or related personal development plans. There is little evidence that digital literacy has been integrated into pharmacy staff training, which remains an under-researched area.

Keywords: digital literacy, Kirkpatrick's 4 level model, pharmacy education, systematic review, training

INTRODUCTION

Background

Pharmacy staff across all practice settings are reliant on information technology (IT).^{1–4} Pharmacists, graduate (pre-registration) pharmacists, pharmacy technicians, dispensing assistants and medicine counter assistants use widely available office, retail and management information systems alongside dedicated pharmacy management and electronic health (ehealth) applications in a range of community, hospital and other pharmacy settings. The abilities of pharmacy staff to use these applications at home and at work, also known as digital literacy or digital competence or e-skills, depend on personal experience and related education and training.^{5–8} The British Computer Society defines digital literacy as, 'being able to make use of technologies to participate in and contribute to modern social, cultural, political and economic life'.⁹ A similar definition of digital literacy is adopted in the US, 'the ability to use information and communication technologies to find, evaluate, create, and communicate information; it requires both technical and cognitive skills'.¹⁰ Both definitions are grounded in historical and conceptual definitions of digital literacies.¹¹

IT facilitates the provision of core pharmacy services in the UK in collaboration with other healthcare professionals with similar examples worldwide.^{12–15} In the US, digital literacy also forms the basis for pharmacy led health literacy as a tool for improving public health and patient outcomes.¹⁶

Collaborative working in health has been viewed as both beneficial to patients and a more efficient use of health professionals' skills since long before the advent of ehealth.^{17–19} Health strategists worldwide promote the adoption of IT and ehealth to support patient care through collaborative working, which is tracked globally by World Health Organization.^{1–3,12,13,20–22} Both the adoption of ehealth and standards of digital literacy at home and in the workplace are key themes of interest at the international level.^{23–25}

United Nations Educational Scientific and Cultural Organisation identifies digital literacy as both a 'life skill' and 'gate skill' because 'it targets all areas of contemporary existence'.²⁶ The European Commission Information Society promotes and tracks citizens' and member states' digital engagement.^{27,28} Similarly, the European Parliament promotes digital literacy for lifelong learning along with a recommendation for 'better identification of occupational needs'.²⁹

In the US, a government initiative to create a 'digital nation' recognised the role of digital literacy in promoting inclusion.²³ A government commissioned report into digital literacy in Australia concluded that 'both citizen and worker will need to be digitally literate for the digital economy to work effectively' while a report from New Zealand argues 'that technology can change the nature of work faster than people can change their skills'.^{24,25}

In the UK, a range of strategic principles, national competency frameworks for training, core skills and digital literacies for the general public, and recently more specific targets for the health sector, have been developed by the government, advisory and professional bodies.^{30–36}

Pharmacy students in the UK undertake the General Pharmaceutical Council accredited and regulated Master of Pharmacy course.⁵ This undergraduate university course is followed by a pre-registration year, based in practice culminating in an end of year written examination. Training for pharmacy technicians, dispensing assistants and medicines counter assistants is similarly accredited and regulated but undertaken as a combination of practical experience, college and open learning.⁶ Specific mention of the digital literacies required to facilitate pharmacy staff's collaborative health-care role is not evident in the UK curricula for initial training or their continuing professional development (CPD).^{37,38} The Accreditation Council for Pharmacy Education (ACPE) in America added health informatics to its standards for pharmacist training in 2007. The focus was initially on basic computer skills and then on ability to find appropriate relevant evidence base for practice.³⁹ Pharmacy program accreditation in Canada, Australia and New Zealand make explicit mention of the need to prepare students to make best 'use of information technology in pharmacy and more widely in health care'.^{40,41} While digital literacy may be covered to an extent in some initial training programmes, there is limited evidence that it features in CPD for existing members of pharmacy staff.

In summary, despite the increasing adoption of IT and ehealth to support the role of pharmacy staff, there is a paucity of research exploring their perceptions and digital literacy knowledge and related training. This review identifies evidence of perceived levels of digital literacy amongst pharmacy staff and their related training experiences and future needs.

Objective

To explore the digital literacy knowledge and needs of pharmacy staff.

Review question

This review asks, 'What are the digital literacy knowledge and needs of pharmacy staff?' to summarise existing evidence of pharmacy staff perceptions and measures of:

1. levels of digital literacy knowledge;
2. inclusion of digital literacy in pharmacy training;
3. specific digital literacy training experiences;
4. digital literacy training needs.

METHODS

Design

This systematic review followed the Centre for Review and Dissemination guidance for healthcare reviews (PROSPERO Protocol 2013:CRD42013005503) in seeking to 'identify, evaluate and summarise the findings of all relevant individual studies' and to 'demonstrate where knowledge is lacking... to guide future research'.^{42,43} The theoretical framework adopted for analysis was Kirkpatrick's 4 level model (reaction, learning, behaviour, results) for evaluating training programmes.^{44,45} Kirkpatrick likens level 1 (reaction) to a

'measure of customer satisfaction' with level 2 (learning) a 'measure of knowledge acquired, skills improved or attitudes changed due to training'. Level 3 (behaviour) measures 'the extent to which participants change their on-the-job behaviour' while level 4 (results) looks for wider impact in organisational terms. Although Kirkpatrick's model has been criticised for over-simplification and a lack of contextual consideration, its pre-eminence as a training evaluation tool has been acknowledged over several decades.^{46,47}

Eligibility criteria

This review considered English language studies that related to any aspect of digital literacy or computer skills training for any member of pharmacy staff in all pharmacy settings with no geographical or date restrictions applied.

SEARCH STRATEGY

A three-step search strategy was utilised in this review. An initial limited search of MEDLINE and CINAHL was undertaken followed by analysis of the text words contained in the title and abstract, and of the index terms used to describe the article. A second search using all identified keywords and index terms was then undertaken across all included databases (Figure 1). Thirdly, the reference list of all identified reports and articles was searched for additional studies. Titles of papers were independently screened by two reviewers followed by abstracts then full papers. The search string, database returns and exclusions are shown in an adapted PRISMA diagram.⁴⁸

Assessment of methodological quality

To reduce risk of bias, papers selected for critical appraisal were assessed independently by two reviewers for methodological quality before inclusion using a standardised critical appraisal tool adapted to suit all study types.⁴⁹

Data extraction

Data were extracted using a bespoke data extraction tool (Table 3). The data extraction was performed independently by two reviewers before cross-checking to minimise errors and reduce risk of bias.

Data synthesis

Findings were narratively explored through Kirkpatrick's 4 level model for evaluating training programmes by focusing on evidence of reaction, learning, behaviour and results.

RESULTS

Study selection

Systematic application of the search strategy returned 86 published papers, which after independent screening of titles, abstracts and full papers was reduced to 5 (Figure 1 and Table 1).

There were no studies featuring pharmacy staff other than pharmacists and no unpublished studies identified.

Quality assessment

Each study was independently reviewed for quality by two of the research team. Details of the clarity of the research question, appropriateness of the design, description of context, population, sampling, data collection and analysis along with results, limitations and conclusions are provided in Table 2. It also details reasons for the exclusion of one study on quality grounds, while four were taken forward for data extraction.

Study characteristics

The data extraction table (Table 3) provides summarised study characteristics and contextual information. In brief, one of the studies was a survey conducted to establish baseline computer skills of hospital pharmacists in Canada prior to an educational intervention.⁵⁰ Another surveyed allied health professionals (AHPs), including pharmacists, in Australia about their use of electronic evidence resources.⁵³ A further Australian study, based on community pharmacists, combined pre-intervention focus groups with a post-educational intervention evaluative survey.⁵¹ The final study used mixed methods to review informatics content, including computer and digital literacy skills, in pharmacy education by mapping syllabi returned by schools of pharmacy against the US ACPE Standards.⁵²

Table 1 The 'when, who and what' of the five papers included prior to critical appraisal

Year	Authors	Title
2004	Balen R and Jewesson P	Pharmacist computer skills and needs assessment survey ⁵⁰
2005	Bearman M, Bessell T, Gogler J and McPhee W	Educating Australian pharmacists about the use of online information in community pharmacy practice ⁵¹
2008	Fox B, Karcher R, Flynn A & Mitchell S	Pharmacy informatics syllabi in doctor of pharmacy programs in the US ⁵²
2004	Gosling A and Westbrook J	Allied health professionals' use of online evidence: a survey of 790 staff working in the Australian public hospital system ⁵³
2010	Gour N and Srivastava D	Knowledge of computer among healthcare professionals of India: a key toward e-health ⁵⁴

Research Question: What are the digital literacy training experiences and needs of pharmacy staff?




Figure 1 Adapted PRISMA flowchart showing the search strategy and returns⁴⁷

Table 2 The critical appraisal tool adapted from Mays N et al⁴⁹

	Balen 2004 ⁵⁰	Bearman 2005 ⁵¹	Fox 2008 ⁵²	Gosling 2004 ⁵³	Gour 2010 ⁵⁴
Quality checklist for mixed methodology studies					
Question - clear, terms defined	yes, to gain baseline data on pharmacists computer skills and training needs	yes, use of the Internet by community pharmacists in practice and potential for educational interventions	yes, to identify and analyse current pharmacy informatics education, current competencies, core recommendations for teaching informatics	yes, comparison of different groups of AHPs, use of online evidence, training and computer skills	no, 'to enlighten the perspective of computer use among healthcare professionals and its implications'
Design - appropriate	yes, survey of all pharmacists in one hospital	yes, in two phases: needs analysis focus groups and course evaluation	yes, pharmacy syllabus mapping of informatics programs against Accreditation Council for Pharmacy Education (ACPE) 2007 standards	yes, survey of AHPs with access to Clinical Information Access Program (CIAP)	mixed methods including cross-sectional survey and semi-structured interviews
Context - well described	yes, post implementation of applied informatics program in a Canadian hospital	yes, Australian pharmacy education and practice	yes, adoption of American pharmacy education standards and IOM inclusion of informatics as one of five core competencies	yes, introduction of online evidence system to hospitals in New South Wales, Australia	described adequately but with dated and contrived referencing
User system - user of innovation	hospital pharmacists	community pharmacists	pharmacy education	hospital-based AHPs including pharmacists	healthcare professionals including pharmacists
Sampling - conceptual, generalisation	yes, all hospital pharmacists ($n=106$) at one hospital over two sites	not clear, both phases lack detail of recruitment/ sampling/ timing	yes, from all American Association of Colleges of Pharmacy with pharmacy informatics programs	randomly selected hospitals representative of CIAP use ($n = 65$); convenience sample of AHPs ($n = 790$)	stratified sample ($n = 240$) of 'all' healthcare professionals, identified as doctors, nurses, lab technicians, pharmacists at one hospital; 'no knowledge' of computer
Data collection - systematic, auditable	yes, the survey instrument developed by author consensus after review of previously published surveys (84 items over 9 domains)	yes, independent facilitator, notes taken at each focus group by different scribes; course evaluation form (16 closed items; 3 open)	yes, clearly explained at each stage of the process of collection, verification for reliability and validation	yes, the survey instrument developed from previous, related research findings plus US study of clinicians' use of Medline	confusion between survey and interview techniques, use of a form assessing 'knowledge of computer', overlapping scales; lacks detail of development of survey and interview tools

(Continued)

Table 2 The critical appraisal tool adapted from Mays N et al⁴⁹ (Cont.)

Quality checklist for mixed methodology studies	Balen 2004 ⁵⁰	Beaman 2005 ⁵¹	Fox 2008 ⁵²	Gosling 2004 ⁵³	Gour 2010 ⁵⁴
Data analysis - systematic, rigorous, conflict handling	appropriate use of descriptive statistics and frequencies	themes not clear, qualitative data quantified, inappropriate inversion of scales; mean, SD applied to non-continuous scale	consensus reached following independent categorisation by each research team member	appropriate use of descriptive and comparative statistics	inappropriate analysis, over-analysis and over-interpretation of a small, simple data set; overlap of at least two scales
Results and limitations	clear, concise with declared limitations around sample size, response rate (55%), survey instrument and self reporting	finding are grounded in data but, as indicated by the authors, with major limitations: no baseline prior to intervention, only two focus groups (not audio recorded), methods questioned high drop out	findings are clearly explained and grounded in the data; limitations are explored in terms of response rate (36%), non-respondents, variable detail of syllabi and generalisability	clear and comprehensive with declared limitations of sampling recommending further validity and reliability testing	imprecise terms, e.g. various, some; majority = 100%; assertions not grounded in data; parallels drawn to Nigeria and UK; speculation; major limitations but claims generalisable
Conclusions	appropriate for findings	appropriate for findings	appropriate for findings	appropriate for findings	additional findings presented in Conclusion; unjustified assertions given research context
Ethics	not covered	not covered	yes	not covered	yes, plus verbal consent
Additional comments	data collected in 2001; clearly developed and presented	data collected in 2002; specific to using the internet	data collected in 2007; clearly developed and presented	data collected in 2001–2002; clearly developed and presented	poorly developed, inconsistencies, poorly analysed/referenced
Take forward to Data Extraction?	Y	Y	Y	Y	N

Table 3 Data extraction of four papers reviewed

Article/ Aspect	WHO	WHAT	WHY	WHERE	WHEN	HOW	Context		Summary of author conclusions
							Geographical setting	Practice setting	
Balen 2004	hospital pharmacists	Prior to introduction of an applied informatics program	<ul style="list-style-type: none"> To identify pharmacist baseline computer skill needs 	Vancouver, Canada	Data collected in 2001	Survey (84 questions, 9 domains): <ol style="list-style-type: none"> Computer experience Computer anxiety Computer vocabulary Basic computer skills Communications Internet skills Clinical database information retrieval Access to computers Anticipated needs 55% response rate (n = 58) 	one multisite hospital	Variety of: <ul style="list-style-type: none"> Access: home, work Skill levels: literate, not anxious, more training requested Use: internet searching, drug distribution systems, email, patient care systems, minimal office packages (presentation, statistics, and spreadsheet) 	
Bearman 2005	community pharmacists	Web skills education programme: introduction to the internet; finding online information; introduction to evidence based pharmacy and assessing the quality of information; using internet technologies in daily practice	Pre: to investigate internet use and education needs Post: to identify the benefits/weaknesses of an education programme	Victoria, Australia	Data collected in 2002	Pre: <ul style="list-style-type: none"> two focus groups (10 and 11 purposively selected) with independent facilitator, 2 hrs inc lunch and \$50, scribe and whiteboards Internet use in practice Thematic analysis Education intervention: <ul style="list-style-type: none"> 147 enrolled; 104 completed; 93 responded Post: <ul style="list-style-type: none"> Survey: 16 quantitative questions plus 3 likes, dislikes, 3 changes in practice 93 completed quantitative 107 free text answers inductive analysis of qualitative data 	Community pharmacy education	Focus group (use of the Internet): <ul style="list-style-type: none"> ½ have access at work Email, search engines but not health specific portals/ websites Variation in: technical knowledge and skills Barriers: negative attitude, lack of time, costs, lack of familiarity/ expertise, difficulty finding information, resource issues Need: to gain confidence, desire for further education Survey: <ul style="list-style-type: none"> For most, course met expectation Average responses positive, ease of use, aims/ objectives met, learning experience Significant online behaviour changes self-reported 	

(Continued)

Table 3 Data extraction of four papers reviewed (Cont.)

Article/Aspect	WHO	WHAT	WHY	WHERE	WHEN	HOW	Summary of author conclusions	
	Population	Intervention	Aim	Geographical setting	Practice setting	Timeline, Background	Study design, method	Storyline, Outcome
Fox 2008	Contacts at Schools of Pharmacy	Defines pharmacy informatics	<ul style="list-style-type: none"> To identify/analyse current state to identify current competencies to develop core set of recommendations 	USA	Pharmacy education	<ul style="list-style-type: none"> Data collected 2006 ACPE 2007 Guideline 12.1 one of five IOM core competencies AMIA/IMIA initiatives ASHP 2015 initiative 	<ul style="list-style-type: none"> Invitation letter followed by Two reminder emails 32 out of 89 schools of pharmacy responded (response rate 36%) with 25 providing syllabi four 'not being taught' three integrated in curriculum Syllabi reviewed against ACPE Standards 2007 Content used to develop foundational and core competencies 	<ul style="list-style-type: none"> Confusion between pharmacy informatics and drug information practice Much required to be compliant with ACPE 2007
Gosling 2004	AHPs	To identify awareness, use, perceived barriers to use and impact of point of care online information systems	<ul style="list-style-type: none"> To provide baseline data for AHPs use of electronic evidence resources 	Australia	Public hospital	<ul style="list-style-type: none"> Data collected 2001–2 1997 state policy Part of CIAP evaluation 	<p>Survey of:</p> <ul style="list-style-type: none"> Quantitative study Convenience sample of 790 staff from 65 hospitals Seven professions (physiotherapists, occupational therapists, speech pathologists, dieticians, clinical psychologists, pharmacists, social workers) Pre-piloted, 25 closed questions SPSS for rates, frequency, Chi-square comparison by profession, t-tests 	<p>Concluded were the following:</p> <ul style="list-style-type: none"> A marked difference between professions (pharmacists highest, social workers lowest) A 90% agreed system had potential to improve patient care Facilitators to use: computer skills and easy access Barriers to use: lack of specific training and lack of time General computer skills training more effective in encouraging use than system specific training Social, organisational and professional support more important than system specific training

Pharmacy staff digital literacy level

Balen and Jewesson⁵⁰ concluded there was not yet 'a standard definition of computer literacy and valid dimensions of computer competency for pharmacy practice'. Based on a literature review, Bearman et al⁵¹ found 'there was little or no information regarding community pharmacists' skills and knowledge levels or how they currently employ internet technologies'. Through focus groups, they identified a 'wide variety of technical knowledge and skills.' Where access was available, participants most commonly used the internet at work for email and to search pharmacy-related topics, such as medicines or patient information, with a small proportion contributing to a pharmacy message forum. They were 'less familiar with local health-specific portals or websites.' Lack of familiarity or expertise and difficulty finding relevant information online were noted issues.

Balen and Jewesson⁵⁰ found pharmacists were likely to have both home and work access to computers. Work use included information management, internet searching and email, drug distribution systems, patient care systems but minimal use of spreadsheets, statistical or presentation software. They concluded hospital pharmacists were 'computer literate' and 'not anxious' about using IT.

Fox et al⁵² identified 'confusion within the academy/profession between pharmacy informatics and drug information practice' and low compliance with ACPE Standards 2007 on pharmacy informatics competencies. Three progressive levels of pharmacy informatics competency were detailed under headings of terminology, systematic approaches, benefits and constraints. Fox et al⁵² concluded that pharmacists 'must utilize information technology and automation' implying but not specifying levels of digital literacy.

In a convenience sample survey of AHP, Gosling and Westbrook⁵³ found pharmacists were the highest users of an online evidence system. Two of 25 closed questions in the survey related to database searching and computer skills. Across all AHPs, nearly three quarters reported their computer skills as good, very good or excellent with pharmacists rated most able to find online information.

Digital literacy in pharmacy training

The study by Fox et al⁵² focused on searching pharmacy syllabi for elements of informatics training. They cite Flynn⁵⁵ in asserting 'few pharmacy programs provide formal pharmacy informatics'. However, they elaborated the role of the Institute of Medicine (IOM) who recognise 'utilizing the tools and techniques of informatics' as a core competency for all clinical healthcare professionals. This is further evidenced by the initiatives around educational provision by the American Medical Informatics Association (AMIA) and International Medical Informatics Association (IMIA) whose recommendations were adopted by the American Society of Health-Systems Pharmacists (ASHP).

Balen and Jewesson⁵⁰ noted that 'informatics is not a formal component of the core undergraduate or graduate programs' at their local university and 'remains an uncommon component of most pharmacy and medical school curricula'

in North America. Findings from Bearman et al's⁵¹ literature review showed that 'many [community pharmacists] have not been educated in internet use for professional practice'. Although Gosling and Westbrook⁵³ found a 'marked difference between professions use' of an online evidence system, there is no clear way to relate this back to pharmacy or other allied health professional training.

Digital literacy training experiences

Balen and Jewesson⁵⁰ found that 79% of pharmacists ($n = 106$) who responded to their survey 'had received no formal computer training'. Following their educational intervention, Bearman et al⁵¹ received positive feedback from participants about improved searching skills and more effective searching while 'almost half of the 93 respondents reported a change in practice'. While declaring informatics a new discipline for pharmacy, Fox et al⁵² emphasised the intricate link between IT and pharmacy informatics explaining 'IT tools provide the infrastructure for information management to support pharmacy informatics'. In findings across all AHPs, Gosling and Westbrook⁵³ identified social, organisational and professional support, along with general computer skills training, as important facilitators influencing the use of technologies in pharmacy practice.

Digital literacy training needs

Each of the included studies indicated participants want or need more digital literacy related training. Balen and Jewesson⁵⁰ found that 77% ($n = 106$) in need of 'general computer skills upgrading' ranking medical database and Internet search as priority areas. Access to Internet related education was viewed as a priority for community pharmacists by Bearman et al,⁵¹ while Gosling and Westbrook⁵³ found 'general training aimed at improving computer skills more important...than specific system-based training'. Finally, Fox et al⁵² recommended a set of foundational core competencies, 'based on themes extracted from course syllabi and from personal experience', and encouraged pharmacy educators to 'look to informatics in other disciplines, such as medicine and nursing, for guidance'.

Applying the analytical framework

In terms of Kirkpatrick's 4 level model, the pre-training survey of computer skills conducted by Kirkpatrick and Kirkpatrick⁴⁵ and Balen and Jewesson⁵⁰ evidenced baseline evaluation recognised as a preliminary activity for level 2 (learning). Similarly, Gosling and Westbrook⁵³ conducted a survey which included measures of baseline skills (level 2: learning). Although good computer skills were shown to be associated with the use of technology by pharmacists (level 3: behaviour), it is not clear from the findings presented whether pharmacists were included in the AHPs who received training. Bearman et al⁵¹ reported pharmacists 'were highly positive about the learning experience' (level 1: reaction), in particular the 'flexible delivery of the course,' while online resource identification attracted most comments. Findings also reported 'specific changes in practice' (level 3: behaviour) around 'use

of new websites, more effective searching, a change to regular use of specific resources.' The emphasis in the article by Fox et al⁵² was on syllabus content: which informatics skills (level 2: learning) are taught in pharmacy education. Their conclusions and recommendations aspired to levels 3 (behaviour) and 4 (results) in urging pharmacy programs 'to prepare future pharmacists to approach their professional practice as drug safety experts and medication knowledge workers who must utilize information technology and automation in order to create a safer, more effective medication-use system'.

DISCUSSION

The evolving role of pharmacy within the collaborative healthcare team is increasingly reliant on a range of ehealth technologies and digital literacy. This review set out to summarise the best available existing evidence of pharmacy staff perceptions and measures of their levels of digital literacy knowledge, the inclusion of digital literacy in their pharmacy training, specific digital literacy training experiences, and their digital literacy training needs. Very limited research was identified about pharmacists, while no studies were found in relation to other pharmacy staff.

The need for better identification of citizen and workforce skills for the digital age is a matter of increasing focus worldwide, but there is little evidence of its impact on pharmacy education or pharmacy practice. While pharmacy programmes in America demonstrated a lack of compliance with the ACPE standards 2007, there was even less evidence of digital literacies in pharmacy programmes outside the US. So, while digital literacy is acknowledged as an important lifelong and work-based skill, this is not readily evidenced in initial pharmacy staff training nor CPD. Further research might also explain whether higher digital literacy levels amongst hospital pharmacists compared with their community-based colleagues is due to their realm of daily practice, postgraduate training or multidisciplinary team working.

The limited evidence found of digital literacy training experience was, however, positive. Improved search and basic computer skills with social, organisational and professional support were shown to facilitate the use of technologies in pharmacy. Yet, the majority of pharmacy staff had received no digital literacy training. The US leads in viewing digital literacy in pharmacy as a pathway to engaging the community in health literacy with the potential to improve social welfare, inclusion and individual health and well being.

All studies indicated that pharmacists want or need more digital literacy training, but their recommendations lack baseline data and are not current, quantifiable, measurable or specific. A key finding of this review is the lack of digital literacy research amongst not only pharmacists but all pharmacy staff as pharmacy assistants, technicians and medicine counter assistants all use technology in daily pharmacy practice. The core competencies recommended for pharmacy informatics are founded on digital literacy and so may

offer a starting point for further research, which should be broadened to include all pharmacy staff. As the role of pharmacists and therefore all pharmacy staff continues to grow in the UK, the digital literacy levels for current and future pharmacists and staff must keep pace with technological change.

In launching the US 2012 Digital Government Strategy, President Obama said, 'I want us to ask ourselves every day, how are we using technology to make a real difference in people's lives'.⁵⁶ As the role of pharmacy in healthcare continues to expand, there are calls for enhanced workforce skills, most recently from the UK Academy of Medical Royal Colleges who emphasise the need for 'enhanced informatics skills in healthcare professionals so that the significant benefits that technology can enable are realised'.⁵⁷

Strengths and weaknesses

It is a strength of this review that it demonstrates the lack of research conducted around digital literacy of pharmacy staff, but it is also its main weakness. With so few studies on which to base the review, findings must be treated with caution. Although not a weakness of this review, the survey-or evaluation-based studies used self-reporting, which is recognised for its inherent bias. The use of standardised tools in this review applied independently by more than one reviewer reduced the risk of bias for both inclusion and reporting.

CONCLUSION

In conclusion, although all pharmacy staff are reliant on technology in their daily practice, there is a lack of evidence of their specific and measurable digital literacy knowledge levels, training experience and needs. As a society, we acknowledge that technology is an important part of everyday life impacting on the efficiency and effectiveness of working practices but, in pharmacy, do we take cognisance, 'that technology can change the nature of work faster than people can change their skills'?²³ It seems pharmacy has embraced technology without recognised occupational standards, definition of baseline skills or related personal development plans. This review recommends future research should be focused on establishing what digital literacy knowledge is needed and how training should be designed, delivered and evaluated for all pharmacy staff at all levels and career stages.

Competing interests

The authors have no competing interests to declare.

Acknowledgements

The lead author gratefully acknowledges the expert input of the late Yash Kumarasamy and Professor Alison Strath to the study design and review protocol.

Funding

No dedicated funding was received for this review, but it is part of a larger research programme funded by NHS Education for Scotland. The authors gratefully acknowledge their support.

REFERENCES

1. Darzi A. *High Quality Care For All: NHS Next Stage Review Final Report*. DH_085825. 2008. Accessed 29 February 2012.
2. Scottish Government. *eHealth Strategy 2011–2017*. Edinburgh: Scottish Government. 2011.
3. Department of Health. *A Report from the NHS Future Forum: Education and Training*. London: Department of Health. 2011.
4. Crown J. *Review of Prescribing, Supply and Administration of Medicines*. Final report. NHS Executive: Department of Health. 1999.
5. General Pharmaceutical Council. *Future Pharmacists: Standards for Initial Education and Training of Pharmacists*. London: GPHC. 2011. Available from: www.pharmacyregulation.org. Accessed 01 August 2016.
6. General Pharmaceutical Council. *Accreditation and Recognition of Pharmacy Technician Level 3 Knowledge-Based and Competence-Based Qualifications*, Scottish Qualifications Authority. GPhC:London. 2011. Available from: www.pharmacyregulation.org. Accessed 01 August 2016.
7. Beetham H, McGill L and Littlejohn A. *Thriving in the 21st Century: the Report of the LLiDA Project (Learning Literacies for the Digital Age): Provision in the UK*. 2009. Available from: <http://www.webarchive.org.uk/wayback/archive/20140614091049/http://www.jisc.ac.uk/whatwedo/projects/elearningllida.aspx>. Accessed 01 August 2016.
8. MacLure K and Stewart D. Self-Reported Digital Literacy of the Pharmacy Workforce in North East Scotland. Available from: <http://www.mdpi.com/2226-4787/3/4/182>. *Pharmacy* 2015; 3 (4):182–196. <http://dx.doi.org/10.3390/pharmacy3040182>
9. British Computer Society. *Digital Literacy for Life programme*. Available from: <http://dflf.bcs.org/>. Accessed 01 August 2016.
10. American Library Association 2013. *Digital Literacy, Libraries, and Public Policy: Report of the Office for Information Technology Policy's Digital Literacy Task Force*. Available from: http://www.districtdispatch.org/wp-content/uploads/2013/01/2012_OITP_digilitreport_1_22_13.pdf. Accessed 01 August 2016.
11. Lankshear C and Knobel M (Ed). *Digital literacies: Concepts, Policies and Practices*. Vol. 30. Peter Lang:New York. 2008.
12. CMS Advisory Group. *Establishing Effective Therapeutic Partnerships: A Generic Framework to Underpin the Chronic Medication Service Element of the Community Pharmacy Contract*. Edinburgh: The Scottish Government. 2009.
13. McElenay JC. Connected health and the pharmacist. *IJPP* 2011;19(1):3–4. Available from: <http://onlinelibrary.wiley.com/doi/10.1111/j.2042-7174.2010.00088.x/pdf>. <http://dx.doi.org/10.1111/j.2042-7174.2010.00088.x>.
14. Australian Government Department of Health. *eHealth and pharmacists*. 2013. Accessed 18 October 2013.
15. Ministry of Health, British Columbia. *eHealth – Faster, safer, better healthcare: Benefits for Health Professionals*. Available from: <http://www.health.gov.bc.ca/ehealth/professionals.html>. Accessed 01 August 2016.
16. Agency for Healthcare Research and Quality. *Is Our Pharmacy Meeting Patients' Needs? Pharmacy Health Literacy Assessment Tool User's Guide*. Rockville:Agency for Healthcare Research and Quality. 2007. Available from: <http://www.ahrq.gov/professionals/quality-patient-safety/pharmhealthlit/pharmlit/index.html>. Accessed 01 August 2016.
17. Department of Health. *Working for Patients*.London: HMSO. 2007.
18. Nolan M. Towards an ethos of interdisciplinary practice. *BMJ* 1995;311(7000):305. Available from: <http://www.bmj.com/content/311/7000/305>. Accessed 01 August 2016. <http://dx.doi.org/10.1136/bmj.311.7000.305>.
19. Hepler CD and Strand LM. Opportunities and responsibilities in pharmaceutical care. *American Journal of Hospital Pharmacy* 1990; 47(3):533–543.
20. Scottish Government, NHS Scotland. *eHealth Citizen eHealth Survey*. Available online from: http://www.ehealth.scot.nhs.uk/?page_id=143. Accessed 12 January 2012.
21. European Commission. *eHealth Action Plan 2012-2020 public consultation*. 2011. Available from: <https://joinup.ec.europa.eu/community/epractice/news/uk-ehealth-survey-enhance-health-care-scotland>. Accessed 01 August 2016.
22. World Health Organisation. *eHealth Country Profiles*. Geneva: WHO. 2011.
23. NTIA United States Department of Commerce. *Exploring the Digital Nation: America's Emerging Online Experience*. 2013. Available from: <http://www.ntia.doc.gov/report/2013/exploring-digital-nation-americas-emerging-online-experience>. Accessed 01 August 2016.
24. Innovation & Business Skills Australia. *Scoping Study – identifying digital literacy skills: cybercitizen and e-employee in the 21st century*. 2010.Available from: <https://www.ibsa.org.au/sites/default/files/media/Investigating%20Digital%20Literacy%20Skills.pdf>. Accessed 01 August 2016.
25. New Zealand Ministry of Education. *Digital Information Literacy: Supported Development of Capability in Tertiary Environments*. 2010. Available from: <https://www.educationcounts.govt.nz/publications/e-Learning/80624>. Accessed 10 October 2013.
26. UNESCO Institute for Technologies in Education. *Policy Brief: Digital Literacy in Education*. 2011. Available from: <http://iite.unesco.org/publications/3214688/>. Accessed 01 August 2016.
27. European Commission – Information Society. Available from: http://ec.europa.eu/information_society/index_en.htm. Accessed 01 August 2016.
28. European Commission – Digital Agenda for Europe (website). Available from: <https://digital-agenda-data.eu/>. Accessed 01 August 2016.
29. European Parliament. *Recommendation 2006/962/EC of the European Parliament and of the Council of 18 December 2006 on key competences for lifelong learning [Official Journal L 394 of 30.12.2006]*. Available from: http://europa.eu/legislation_summaries/education_training_youth/lifelong_learning/c11090_en.htm. Accessed 01 August 2016.
30. Royal Pharmaceutical Society & Royal College of General Practitioners. *Joint Statement: Breaking Down the Barriers – How Community Pharmacists and GPs can Work Together to Improve Patient Care*. London: RPS & RCGP. 2011.
31. British Computer Society – The Chartered Institute for IT. *Adult Education and Further Education*. Available from: <http://www.bcs.org/category/15758>. Accessed 01 August 2016.
32. Royal Pharmaceutical Society. *Empowering Pharmacists to Improve Pharmaceutical Care and Medicines Safety Through Information Technology: Information Technology Strategic Principles*. RPS:Edinburgh. 2011.
33. Academy of Medical Royal Colleges & the Scottish Government. *E Health Competency Framework: Defining the role of the expert clinician*. Available from: <http://www.aomrc.org.uk/publications/reports-guidance/ehealth-competency-framework-0611/>. Accessed 01 August 2016.
34. e-Skills UK. *National Occupational Standards for IT Users*. Available from: <https://www.e-skills.com/standards-and-qualifications/national-occupational-standards-nos>. Accessed 01 August 2016.
35. Skills for Health. *First ever UK-wide core skills and training framework for health*. Available online at: <http://www.skillsforhealth.org.uk/services/item/146-core-skills-training-framework>. 01 August 2016.

36. Department of Health. *The NHS Knowledge and Skills Framework and the Development Review Process: Final Draft*. Crown Copyright, 2004.
37. Royal Pharmaceutical Society. Continuing Professional Development section (website). Available from: <http://www.rpharms.com/development/continuing-professional-development.asp>. Accessed 01 August 2016.
38. NHS Education for Scotland Pharmacy. National UK Centre for Continuing Pharmaceutical Education in Scotland (website). Available from: <http://www.nes.scot.nhs.uk/education-and-training/by-discipline/pharmacy.aspx>. Accessed 01 August 2016.
39. Accreditation Council for Pharmacy Education (website). Available from: <https://www.acpe-accredit.org/default.asp>. Accessed 01 August 2016.
40. Canadian Council for Accreditation of Pharmacy Programs (website). Available from: <http://ccapp-accredit.ca/find-an-accredited-program/>. Accessed 01 August 2016.
41. Accreditation Standards for Pharmacy Degree Programmes in Australia and New Zealand (website) <http://pharmacycouncil.org.au>. Accessed 01 August 2016.
42. MacLure K, Stewart D, Strath A and Kumarasamy Y. Pharmacy staff's digital literacy training experiences and needs: a systematic review protocol. *PROSPERO 2013:CRD42013005503*. Available from: www.crd.york.ac.uk/PROSPERO/display_record.asp?ID=CRD42013005503.
43. Ackers J, Aguiar-Ibáñez R, Baba-Akbari Sari A, Beynon S, Booth A and Burch J. *Systematic Reviews: CRD's Guidance for Undertaking Reviews in Health Care*. Centre for Reviews and Dissemination, University of York, 2009.
44. Kirkpatrick D. Great Ideas Revisited. Techniques for Evaluating Training Programs. Revisiting Kirkpatrick's Four-Level Model. *Training and Development Journal* 1996; 50(1):54–59.
45. Kirkpatrick DL and Kirkpatrick JD. *Implementing the Four Levels: A Practical Guide for Effective Evaluation of Training Programs*. San Francisco: Berrett-Koehler Store. 2007.
46. Bates R. A critical analysis of evaluation practice: the Kirkpatrick model and the principle of beneficence. *Evaluation and Program Planning* 2004; 27:341–347. Available from: https://aetnec.ucsf.edu/sites/aetnec.ucsf.edu/files/A%20critical%20analysis%20of%20evaluation%20practice_0.pdf. <http://dx.doi.org/10.1016/j.evalprogplan.2004.04.011>.
47. Employment Security Department, Washington State. Evaluating Training Programs: Kirkpatrick's 4 Levels. Available from: www.wa.gov/esd/training/toolbox/tg_kirkpatrick.htm. Accessed 01 August 2016.
48. Moher D, Liberati A, Tetzlaff J and Altman DG. Preferred reporting items for systematic reviews and meta-analyses: the PRISMA statement. *Annals of Internal Medicine* 2009;151(4):264–269. <http://dx.doi.org/10.7326/0003-4819-151-4-200908180-00135>. PMID:19622511.
49. Mays N, Roberts E and Popay J. Synthesising research evidence. In: N Fulop, P Allen, A Clarke and N Black (Ed), *Methods for Studying the Delivery and Organisation of Health Services*. London:Routledge. 2001.
50. Balen RM and Jewesson PJ. Pharmacist computer skills and needs assessment survey. *JMIR* 2004;6(1):e11. Available from: <http://www.jmir.org/2004/1/e11/>. <http://dx.doi.org/10.2196/jmir.6.1.e11>. PMID:15111277 PMID:PMC1550586.
51. Bearman M, Bessell T, Gogler J and McPhee W. Educating Australian pharmacists about the use of online information in community pharmacy practice. *IJPP* 2005;13(2):109–115. Accessed 01 August 2016. <http://dx.doi.org/10.1211/0022357055876>.
52. Fox BI, Karcher RB, Flynn A and Mitchell S. Pharmacy informatics syllabi in doctor of pharmacy programs in the US. *AJPE* 2008;72(4):89. Accessed 01 August 2016. <http://dx.doi.org/10.5688/aj720489>. PMID:19002287.
53. Gosling AS and Westbrook JI. Allied health professionals' use of online evidence: a survey of 790 staff working in the Australian public hospital system. *International Journal of Medical Informatics* 2004;73(4):391–401. Accessed 01 August 2016. <http://dx.doi.org/10.1016/j.ijmedinf.2003.12.017>.
54. Gour N and Srivastava D. Knowledge of computer among healthcare professionals of India: a key toward e-health. *Telemed J E Health* 2010;16(9):957–962. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/21091287>. Accessed 01 August 2016.
55. Flynn AJ. The current state of pharmacy informatics education in professional programs at US colleges of pharmacy. *American Journal of Pharmaceutical Education* 2005;69(4): Article 66. Available from: <http://www.ajpe.org/doi/abs/10.5688/aj690466>. Accessed 01 August 2016. <http://dx.doi.org/10.5688/aj690466>.
56. US Government. Digital Government: Building a 21st Century Platform to Better Serve the American People. 2012. Available from: <http://www.whitehouse.gov/sites/default/files/omb/egov/digital-government/digital-government.html>. Accessed 01 August 2016.
57. Academy of Royal Medical Colleges. i-care: Information, Communication and Technology in the NHS. 2013. Available from: <http://www.aomrc.org.uk/publications/reports-guidance/icare-ict-in-the-nhs-1013/>. Accessed 01 August 2016.