Editorial

Computerised medical record systems that guide and protect – reflections on the Bawa-Garba case

Simon de Lusignan

Professor, Primary Care and Clinical Informatics, University of Surrey, UK
Editor-in-Chief Journal of Innovation in Health Informatics

Harshana Liyanage

Research Fellow, University of Surrey, UK

Philip Scott

Senior Lecturer
Deputy Editor Journal of Innovation in Health Informatics, Information Systems, University of Portsmouth, UK

ABSTRACT

Lawrence Weed proposed we develop computerised, problem-oriented medical records that guide and teach. The Bawa-Garba case outcomes might have been different if care had been supported by computerised medical record (CMR) systems. CMR systems can reduce prescribing errors and could be developed to flag gaps in supervision. However, CMR systems are not a panacea and need to be fit for purpose. Our informatics perspective on this case is to call for widespread use of CMR systems – designed to guide and protect.

Keywords: medical records systems, computerised, patients, medical errors, malpractice, risk, risk management

Copyright © 2018 The Author(s). Published by
BCS, The Chartered Institute for IT under Creative
Commons license <http://creativecommons.org/licenses/by/4.0/>

COMPUTERISED MEDICAL RECORDS TO SUPPORT CARE

Lawrence Weed's perspective on medical errors is pertinent to the Bawa-Garba case. This case was one where Hadiza Bawa-Garba, an unsupervised junior doctor who was found guilty of mistakes in care and was removed from the UK medical register following the death of a 6-year-old boy.¹

Almost exactly 50 years ago, Lawrence Weed wrote his seminal articles on 'Medical Records that guide and teach'.^{2,3} Weed looked at the chaos of the medical record and reported:

"When I pick up a chart that is a bunch of scribbles, I say: 'That's not art. It certainly isn't science. Now, God knows what it is'."⁴

And, his view of how we as a medical professional try to analyse patients' problems:

'An epidemic of errors and waste is occurring as we persist in trying to do the impossible'.⁵

Weed saw an intractable problem in medicine – the unrealistic expectation, that one's brain, no matter how well-trained, can store all the information required to make a proper decision.⁶

His solution was to look to organise medical records around problems – he invented the problem-oriented medical record (POMR); computerise these records; and link knowledge bases to these records.

COMPUTERISED MEDICAL RECORD SYSTEMS TO SUPPORT SAFE PRESCRIBING?

One of the errors in the Bawa-Garba case was the administration of a blood pressure-lowering drug by a nurse. We might anticipate that a computerised medical record (CMR) system might have questioned or blocked that prescription. There is some evidence from systematic reviews that computerised prescribing – often referred to in USA as computerised physician order entry (CPOE), might make a difference:

'Clearly reduces medication prescription errors; however, clinical benefit of CPOE systems in paediatric or ICU settings has not yet been demonstrated'.⁷

'Studies of computerised provider order entry with clinical decision support compared with the studies without clinical decision support reported a 36%–87% reduction in prescribing errors'.⁸

'The transition from paper-based ordering to commercial CPOE systems in ICUs was associated with an 85% reduction in medication prescribing error rates and a 12% reduction in ICU mortality rates'.⁹

INCLUDING SUPERVISION ARRANGEMENTS IN CMRs

Compared with the complexity of prescribing, it should be relatively simple to incorporate into junior and senior doctors' rotas information about who is supervising or supervised by whom. However, as far as I can see this is not a part of the current initiatives around rostering software (e.g. <https://www.drsusers.nhs.uk/>). Such applications could inform hospital medical directors and executives if there are any, or list of the number of trainees without supervision live via a dashboard or other media.

USING ROBUST CMR SYSTEMS

Part of the narrative of the Bawa-Garba case, is that an incorrect decision was made about whether to continue with resuscitation. We are not clear whether information about this was recorded on physical paper records or CMR system or a combination of both. It should be possible to specify that CMR systems readily make available this information.

With a fully-fledged and fail-safe CMR system been used, it is possible that it might have impacted on the outcome of this case. Weed suggested elements of a computerised POMR system (Figure 1) that might have impacted on this case and supported better decision making.

Figure 1 Function of a POMR system that might have impacted on elements of the Bawa-Garba case

ETHICAL CONSIDERATIONS FOR CMR SYSTEMS

Another aspect of this case was a 4-hour delay in receiving a test result due to an information technology (IT) failure. Downtime is a recognised ethical issue in health IT¹⁰ and exposes the fact that there is a broader range of ethical concerns raised by both CMR use and non-use. These considerations include dimensions such as perceived workload impact,¹¹ usability¹² and commercial barriers to quality regulation of CMR systems.^{13,14}

CALL TO ACTION FOR THE HEALTH AND CARE INFORMATICS COMMUNITY

Weed flagged half a century ago that we are asking doctors to process more information than one person can possibly do

REFERENCES

1. Dyer C. Doctor convicted of manslaughter is suspended from register for a year. *BMJ* 2017;357:j2928. doi: 10.1136/bmj.j2928.
2. Weed LL. Medical records that guide and teach. *New England Journal Medicine* 1968;278(11):593–600.
3. Weed LL. Medical records that guide and teach. *New England Journal Medicine* 1968;278(12):652–7.
4. Wright A, Sittig DF, McGowan J, Ash JS and Weed LL. Bringing science to medicine: an interview with Larry Weed, inventor of the problem-oriented medical record. *Journal of the American Medical Informatics Association* 2014;21(6):964–8. doi: 10.1136/amiajnl-2014-002776.
5. Jacobs L. Interview with Lawrence Weed, MD- The Father of the Problem-Oriented Medical Record Looks Ahead. *The Permanente Journal* 2009;13(3):84–9.
6. Grimes W. Dr. Lawrence Weed, Pioneer in Recording Patient Data, Dies at 93. *NY: New York Times*, 2017. Available from: <https://www.nytimes.com/2017/06/21/science/obituary-lawrence-weed-dead-patient-information.html>.
7. van Rosse F, Maat B, Rademaker CM, van Vught AJ, Egberts AC and Bollen CW. The effect of computerized physician order entry on medication prescription errors and clinical outcome in pediatric and intensive care: a systematic review. *Pediatrics* 2009;123(4):1184–90. doi: 10.1542/peds.2008-1494.
8. Rinke ML, Bundy DG, Velasquez CA, Rao S, Zerhouni Y, Lobner K, et al. Interventions to reduce pediatric medication errors: a systematic review. *Pediatrics* 2014;134(2):338–60. doi: 10.1542/peds.2013-3531.
9. Prgomet M, Li L, Niazkhani Z, Georgiou A and Westbrook JL. Impact of commercial computerized provider order entry (CPOE) and clinical decision support systems (CDSSs) on medication errors, length of stay, and mortality in intensive care units: a systematic review and meta-analysis. *Journal of the American Medical Informatics Association* 2017;24(2):413–22. doi: 10.1093/jamia/ocw145.
10. Mercuri JJ. The ethics of electronic health records clinical correlations [Internet]. *Clinicalcorrelations.org*. 2018. Available from: <http://www.clinicalcorrelations.org/?p=2211>. Accessed 13 March 2018.
11. Read-Brown S, Hribar MR, Reznick LG, Lombardi LH, Parikh M, Chamberlain WD, et al. Time requirements for electronic health record use in an academic ophthalmology center. *JAMA Ophthalmology* 2017;135(11):1250–7.
12. Middleton B, Bloomrosen M, Dente MA, Hashmat B, Koppel R, Overhage JM, et al. Enhancing patient safety and quality of care by improving the usability of electronic health record systems: recommendations from AMIA. *Journal of the American Medical Informatics Association* 2013;20(e1):e2–8. doi: 10.1136/amiajnl-2012-001458.
13. Koppel R. The health information technology safety framework: building great structures on vast voids. *BMJ Quality and Safety* 2016;25(4):218–20. doi: 10.1136/bmjqs-2015-004746.
14. Goodman KW, Berner ES, Dente MA, Kaplan B, Koppel R, Rucker D, et al. Challenges in ethics, safety, best practices, and oversight regarding HIT vendors, their customers, and patients: a report of an AMIA special task force. *Journal of the American Medical Informatics Association* 2011;18(1):77–81. doi: 10.1136/jamia.2010.008946.
15. Thomas M and Thimbleby H. Computer bugs in hospitals: an unnoticed killer. 2018. Available from: <http://www.harold.thimbleby.net/cv/files/killer.pdf>. Accessed 20 March 2018.