


Generative artificial intelligence in primary care: an online survey of UK general practitioners

Charlotte R Blease ^{1,2}, Cosima Locher,³ Jens Gaab,⁴ Maria Hägglund,¹ Kenneth D Mandl⁵

To cite: Blease CR, Locher C, Gaab J, *et al*. Generative artificial intelligence in primary care: an online survey of UK general practitioners. *BMJ Health Care Inform* 2024;**31**:e101102. doi:10.1136/bmjhci-2024-101102

► Additional supplemental material is published online only. To view, please visit the journal online (<https://doi.org/10.1136/bmjhci-2024-101102>).

Received 14 April 2024
Accepted 29 July 2024



© Author(s) (or their employer(s)) 2024. Re-use permitted under CC BY. Published by BMJ.

¹Department of Women's and Children's Health, Uppsala University, Uppsala, Sweden

²Digital Psychiatry, Department of Psychiatry, Beth Israel Deaconess Medical Center, Boston, Massachusetts, USA

³Department of Consultation-Liaison Psychiatry and Psychosomatic Medicine, University Hospital Zurich, University of Zurich, Zurich, Switzerland

⁴Department of Clinical Psychology and Psychotherapy, University of Basel, Basel, Switzerland

⁵Computational Health Informatics Program, Boston Children's Hospital, Boston, Massachusetts, USA

Correspondence to
Dr Charlotte R Blease;
charlotte.blease@uu.se

ABSTRACT

Objectives Following the launch of ChatGPT in November 2022, interest in large language model-powered chatbots has soared with increasing focus on the clinical potential of these tools. We sought to measure general practitioners' (GPs) current use of this new generation of chatbots to assist with any aspect of clinical practice in the UK.

Methods An online survey was distributed to a non-probability sample of GPs registered with the clinician marketing service Doctors.net.uk. The study was launched as a monthly 'omnibus survey' which has a predetermined sample size of 1000 participants.

Results 531 (53%) respondents were men, 544 (54%) were 46 years or older. 20% (205) reported using generative artificial intelligence (AI) tools in clinical practice; of those who answered affirmatively and were invited to clarify further, 29% (47) reported using these tools to generate documentation after patient appointments and 28% (45) to suggest a differential diagnosis.

Discussion Administered a year after ChatGPT was launched, this is the largest survey we know of conducted into doctors' use of generative AI in clinical practice. Findings suggest that GPs may derive value from these tools, particularly with administrative tasks and to support clinical reasoning.

Conclusion Despite a lack of guidance about these tools and unclear work policies, GPs report using generative AI to assist with their job. The medical community will need to find ways to both educate physicians and trainees and guide patients about the safe adoption of these tools.

INTRODUCTION

Following the launch of ChatGPT in November 2022, interest in large language model (LLM)-powered chatbots has soared with increasing focus on the clinical potential of these tools. This new generation of chatbots are trained on vast amounts of data to generate responses, functioning like auto-completion devices. They exhibit capacities to rapidly generate and summarise text and unlike internet search engines, these models can mimic conversational interactions and 'remember' previous prompts.

Preliminary evidence suggests the impressive abilities of these tools to assist with writing empathic documentation,¹ to provide more detailed documentation than typing or dictation² and to assist with accurate lists of differential diagnosis.³ However, these tools also carry limitations. They are prone to creating erroneous information ('hallucination').² Outputs of these models also risk perpetuating or potentially worsening racial, gender and disability inequities in healthcare ('algorithmic discrimination').⁴ As consumer-based applications, these tools can also risk patient privacy.⁵

Against these advances, there has been only limited measurement of the experiences and practice of clinicians. Few studies have explored doctors' adoption of and opinions about generative artificial intelligence (AI) in clinical practice.⁶ We sought to explore general practitioners' (GPs) use of this new generation of chatbots in the UK.

METHODS

We surveyed GPs registered with the clinician marketing service Doctors.net.uk, the largest professional network for UK doctors currently registered with the General Medical Council,⁷ with 254 741 members out of a total of approximately 379 208 registered UK doctors (67%).⁸ The study was launched as a monthly 'omnibus survey' which has predetermined sample sizes of 1000 participants and participants are requested to answer all closed-ended questions. The survey was pretested and piloted with 6 UK GPs (see online supplemental file 1).

All invited GPs were assured that their identities would not be disclosed to investigators and all participants gave informed consent before taking part. The survey platform www.doctors.net.uk which operates on a secure platform which ensures that personal

data is numerically stored and fully anonymous (ie, not linked to the participants' responses). All personal data such as email addresses were removed from respondents' IDs before the transfer of the data to the research team. www.doctors.net.uk meets the requirements of the European Union Law on General Data Protection Regulation. A small incentive worth £7.50 (US\$8.80, €8.83) in exchangeable shopping vouchers was provided on completion.

Sampling was stratified by regional location using demographic information about currently registered GPs working in the UK provided by the General Medical Council (GMC) in the GMC Data Explorer.⁸ Depending on GPs' preferences for survey invitations, the study was advertised via email and/or displayed on the Doctors.net.uk homepages of selected members. During the survey administration period, approximately 21 000 GPs were active in the community. The survey ran from 2 February 2024 to 22 February 2024, closing at 1006 responses.

This study reports on Q1 of the survey (see online supplemental appendix 2); responses to other questions will be published later. In Q1, participants were asked: 'Have you ever used any of the following to assist you in any aspect of clinical practice?' requesting they select all that applied from: 'ChatGPT', 'Bing AI', 'Google's Bard' or 'Other' and to specify another generative AI tool. In response to the high percentage who reported using generative AI, on 8 February 2024, after 200 responses had been gathered, we added a follow-up question for those who answered affirmatively: 'What are you using the tools to assist with?' Itemised survey questions with full response options and results are presented in the table 1.

RESULTS

Of the 1006 respondents, 531 (53%) respondents were men, 544 (54%) were 46 years or older. Describing their roles, 455 (45%) reported 'GP Partner/Principal', 341 (34%) 'Salaried GP', 181 (18%) 'Locum GP' and 29 (3%) 'GP Registrar'. In online supplemental appendix 3 we describe how the respondents differ from current UK GPs. 20% (205) reported using generative AI tools in clinical practice; of those who answered affirmatively and were invited to clarify further, 29% (47) reported using these tools to generate documentation after patient appointments and 28% (45) to suggest a differential diagnosis.

DISCUSSION

Administered in February 2024, more than a year after ChatGPT was launched, this is the largest survey conducted into doctors' use of generative AI in clinical practice. One in five of the UK GPs surveyed here reported using LLM-powered chatbots to assist with tasks in clinical practice; among them, ChatGPT was the most used tool. More than one in four participants who used generative AI reported using these tools to assist with

Table 1 UK GPs' use of generative AI in clinical practice

	Total	
	N	Percentage (%)*
'Have you ever used any of the following to assist you in any aspect of clinical practice?'		
ChatGPT	161	16
Microsoft's Bing AI	46	5
Google's Bard	38	4
Other (please specify)	14	1
None	801	80
Total	1006	
'What are you using the tools to assist with?'		
Generating documentation after patient appointments	47	29
Suggesting a differential diagnosis	45	28
Suggesting treatment options	40	25
Patient summarisation/timelines from prior documentation	32	20
Other (please specify)	53	33
Writing letters	12	(8)
Total	160	
*Since survey items requested participants select all options that applied, % does not total 100. AI, artificial intelligence; GP, general practitioner.		

writing documentation after patient appointments or with differential diagnosis.

These findings signal that GPs may derive value from these tools, particularly with administrative tasks and to support clinical reasoning. However, we caution that these tools have limitations since they can embed subtle errors and biases.⁹ They may also risk harm and undermine patient privacy since it is not clear how the internet companies behind generative AI use the information they gather. While these chatbots are increasingly the target of regulatory efforts, it remains unclear how the legislation will intersect in a practical way with these tools in clinical practice.¹⁰ The health industry, including electronic health record vendors, is currently grappling with how to create software that complies with safety and confidentiality standards.

The survey has limitations. Given the non-probability sample of primary care physicians who use Doctors.net.uk, this survey may not be representative of UK GPs. GPs' decisions to respond to the topic of the survey may also have introduced biases, and it is unclear whether those more enthusiastic or those more inclined to view generative AI negatively answered the survey. Further research is needed to investigate doctors' adoption of generative AI and how best to implement these tools safely and securely into clinical practice.

We close by noting that despite a lack of guidance about these tools and unclear work policies, GPs report using

them to assist with their job. The medical community will need to find ways to both educate physicians and trainees about the potential benefits of these tools in summarising information but also the risks in terms of hallucinations, algorithmic biases and the potential to compromise patient privacy.

X Charlotte R Blease @crblease

Acknowledgements The research team thank Nicola Miles and Gary Kingsnorth of Doctors.net.uk for assistance with administering the survey.

Contributors Conceptualisation: CRB. Data analysis: CL. Investigation: CRB and KDM. Project administration: CRB, JG and MH. Visualisation: CL. Writing—original draft preparation: CRB. Writing—review and editing: CRB, KDM, CL, MH and JG. All authors read and approved the final manuscript.

Funding This study was supported by The Research Council on Health, Working Life and Welfare 'Beyond Implementation of eHealth' (2020-0122) and by the University of Basel.

Competing interests None declared.

Patient consent for publication Not applicable.

Ethics approval Ethical approval was obtained from the Faculty of Psychology, University of Basel, Switzerland (Protocol # EKFP-034-23-1). Participants gave informed consent to participate in the study before taking part.

Provenance and peer review Not commissioned; externally peer reviewed.

Supplemental material This content has been supplied by the author(s). It has not been vetted by BMJ Publishing Group Limited (BMJ) and may not have been peer-reviewed. Any opinions or recommendations discussed are solely those of the author(s) and are not endorsed by BMJ. BMJ disclaims all liability and responsibility arising from any reliance placed on the content. Where the content includes any translated material, BMJ does not warrant the accuracy and reliability of the translations (including but not limited to local regulations, clinical guidelines, terminology, drug names and drug dosages), and is not responsible for any error and/or omissions arising from translation and adaptation or otherwise.

Open access This is an open access article distributed in accordance with the Creative Commons Attribution 4.0 Unported (CC BY 4.0) license, which permits others to copy, redistribute, remix, transform and build upon this work for any purpose, provided the original work is properly cited, a link to the licence is given, and indication of whether changes were made. See: <https://creativecommons.org/licenses/by/4.0/>.

ORCID iD

Charlotte R Blease <http://orcid.org/0000-0002-0205-1165>

REFERENCES

- 1 Ayers JW, Poliak A, Dredze M, *et al*. Comparing Physician and Artificial Intelligence Chatbot Responses to Patient Questions Posted to a Public Social Media Forum. *JAMA Intern Med* 2023;183:589–96.
- 2 Baker HP, Dwyer E, Kalidoss S, *et al*. ChatGPT's Ability to Assist with Clinical Documentation: A Randomized Controlled Trial. *J Am Acad Orthop Surg* 2022;10–5435.
- 3 McDuff D, Schaeckermann M, Tu T, *et al*. Towards accurate differential diagnosis with large language models [arXiv]. 2023. Available: <http://arxiv.org/abs/2312.00164> [Accessed 05 Apr 2024].
- 4 Teno JM. Garbage in, Garbage out—Words of Caution on Big Data and Machine Learning in Medical Practice. *JAMA Health Forum* 2023;4:e230397.
- 5 Blease C. Open AI meets open notes: surveillance capitalism, patient privacy and online record access. *J Med Ethics* 2024;50:84–9.
- 6 Blease C, Worthen A, Torous J. Psychiatrists' experiences and opinions of generative artificial intelligence in mental healthcare: An online mixed methods survey. *Psychiatry Res* 2024;333:115724.
- 7 Doctors.net.uk. 2024. Available: <https://www.doctors.net.uk/> [Accessed 27 Feb 2024].
- 8 General Medical Council. Register data summary. 2024. Available: <https://gdc.gmc-uk.org/the-register/register-summary/register-data-summary> [Accessed 28 Feb 2024].
- 9 Blease C, Torous J. ChatGPT and mental healthcare: balancing benefits with risks of harms. *BMJ Ment Health* 2023;26:e300884.
- 10 European Council of the European Union. Artificial intelligence act: council and parliament strike a deal on the first rules for ai in the world. 2023. Available: <https://www.consilium.europa.eu/en/press/press-releases/2023/12/09/artificial-intelligence-act-council-and-parliament-strike-a-deal-on-the-first-worldwide-rules-for-ai/> [Accessed 11 Dec 2023].